



## Inverse problem in high-speed recordings of the vocal folds

Granados, Alba; Brunskog, Jonas

*Publication date:*  
2015

*Document Version*  
Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*

Granados, A., & Brunskog, J. (2015). *Inverse problem in high-speed recordings of the vocal folds*. Abstract from The 11th Pan-European Voice Conference (PEVOC 2015) and the 9th International Workshop on Models and Analysis of Vocal Emissions for Biomedical Application (MAVEBA 2015), Florence, Italy.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# INVERSE PROBLEM IN HIGH-SPEED RECORDINGS OF THE VOCAL FOLDS

A. Granados<sup>1</sup>, J. Brunskog<sup>1</sup>

<sup>1</sup>Acoustic Technology, Technical University of Denmark, Kongens LyngbyDK-2800, Denmark  
algra@elektro.dtu.dk

High-speed recordings of the vocal fold dynamics during phonation have been shown to be a powerful tool for clinical assessment of speech disorders. Although visual inspection may be sufficient for voice clinicians to diagnose certain pathologies, quantitative image analysis provides additional useful information, in particular for functional voice disorders. Image segmentation algorithms have been used for tracking quantitative features, such as the projected glottal area, amplitudes or phase ratios (e.g., see [1]). Given a biomechanical model of the vocal folds, it is possible to infer material parameters by inverse problem solution, when image features are taken as input data [2]. Previous studies have shown satisfactory results for lumped-element model of the vocal folds [2-3]. Even though lumped-element models may be convenient with regard to the computational cost, crucial vocal fold characteristics for medical research, such as geometry and layered structure of the tissue, are not described in detail.

The present work is a preliminary investigation on the inverse problem for parameter estimation of a three-dimensional continuum model of the vocal folds. The discussion mainly focusses on inversion methods and image processing procedures. The initial vocal fold model to be used in the inversion procedure involves flow-solid coupling and additional position-based constraints at collision [4]. Due to the complexity of the equilibrium equations, special attention must be paid to the choice of the inverse formulation, as deterministic inverse schemes may show limitations regarding the convexity of the objective function and statistical inverse schemes may require averaging process.. Furthermore, the suitability of different image segmentation techniques for input data extraction from high-speed recordings is analyzed.

- [1] C. Manfredi, L. Bocchi, S. Bianchi, N. Migali, and G. Cantarella,. “Objective vocal fold vibration assessment from videokymographic images”, *Biomed. Signal Proces.*, Vol. 1, pp. 129–136, 2006.
- [2] A. P. Pinheiro, D. E. Stewart, C. D. MacIel, J. C. Pereira, and S. Oliveira, “Analysis of nonlinear dynamics of vocal folds using high-speed video observation and biomechanical modeling”, *Digital Signal Process.*, Vol. 22, pp. 304–313, 2012.
- [3] A. Yang, D. A. Berry, M. Kaltenbacher, and M. Dollinger, “Three-dimensional biomechanical properties of human vocal folds: Parameter optimization of a numerical model to match in vitro dynamics”, *J. Acoust. Soc. Am.*, Vol. 131(2), pp. 1378–1390, 2012.
- [4] A. Granados, “Finite element modeling of the vocal folds with deformable interface tracking,” in *Proceeding of Forum Acusticum 2014* (Krakow, Poland), 2014.